
## 575 SERIES



#### **KEY FEATURES**

- Zero slightline
- Projecting outward
- Accomodates 1" double or 1 3/4" triple glazing units
- Compatible with Windspec windows and curtain wall
- Adaptable for SSG applications

#### **PERFORMANCE**

- U value as low as 0.35 (1" glazing)
- U value as low as 0.26 (1 3/4" glazing)
- NAFS: Class CW-PG70-AP
- A440 A3, C5, B7



WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188


# 575 SERIES TABLE OF CONTENTS


575 VENT IN HTP 5500 C.W. DETAILS	_003
575 VENT IN HTP 5500 SILICON GLAZING DETAILS	_ 005
575 VENT IN FIXED GLAZING DETAILS	_ 007
TRIPLE GLAZED 575 VENT IN TRIPLE GLAZED HTP 5500 CURTAIN WALL DETAILS	_008
TRIPLE GLAZED 575 VENT IN TRIPLE GLAZED SSG HTP 5500 DETAILS	_010
TRIPLE GLAZED 575 VENT IN TRIPLE GLAZED FIXED WINDOW DETAILS	_012
CASEMENT & AWNING SIZING CHARTS	_013
THERMAL CHARTS	014




### 575 SERIES

575 VENT IN HTP 5500 C.W. DETAILS











WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

#### 575 SERIES 575 VENT IN HTP 5500 C.W. DETAILS





(3)







WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE "WINDSPEC" WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS
1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7
Telephone (905) 738 -8311 Fax (905) 738 - 6188


### 575 SERIES


575 VENT IN HTP 5500 SILICON GLAZING DETAILS




SSG VERTICAL ONLY













WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188


### 575 SERIES

575 VENT IN HTP 5500 SILICON GLAZING DETAILS





SSG HORIZONTAL ONLY






4 SIDED SSG










WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

#### 575 SERIES

575 VENT IN 925 R.S. WINDOW DETAILS








WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

### 575 SERIES

TRIPLE GL. 575 VENT IN TRIPLE GL. HTP 5500 C.W.










WINDSPEC INC.
MANUFACTURERS OF HIGH PERFORMANCE 'WINDSPEC' WINDOWS
ALUMINUM ENTRANCE SYSTEMS AND ARCHITECTURAL PANELS 1310 CREDITSTONE RD, CONCORD, ONTARIO L4K 5T7 Telephone (905) 738 -8311 Fax (905) 738 - 6188

### 575 SERIES


TRIPLE GL. 575 VENT IN TRIPLE GL. HTP 5500 C.W.







### 575 SERIES


TRIPLE GL. 575 VENT IN TRIPLE GL. SSG HTP 5500 DETAILS



SSG VERTICAL ONLY












### 575 SERIES

TRIPLE GL. 575 VENT IN TRIPLE GL. SSG HTP 5500 DETAILS




SSG HORIZONTAL ONLY







4 SIDED SSG












### 575 SERIES

TRIPLE GL. 575 VENT IN TRIPLE GL. 925 R.S. WINDOW







### 575 SERIES

#### CASEMENT & AWNING SIZING CHARTS

#### **AWNING CHART**



#### **CASEMENT CHART**





#### WINDSPEC INC

### 575 SERIES

#### THERMAL CHARTS

	575 Casement with Double Glazing		
	Aluminum	Stainless Steel	Non-Metal
U-cog	Spacer	Spacer	Spacer
0.18	0.37	0.35	0.31
0.20	0.39	0.36	0.33
0.22	0.40	0.38	0.34
0.24	0.42	0.39	0.35
0.26	0.43	0.41	0.37
0.28	0.44	0.42	0.38
0.30	0.46	0.43	0.40
0.32	0.47	0.45	0.41
0.34	0.49	0.46	0.43
0.36	0.50	0.48	0.44
0.38	0.51	0.49	0.46
0.40	0.53	0.51	0.47
0.42	0.54	0.52	0.49
0.44	0.55	0.53	0.50
0.46	0.57	0.55	0.52
0.48	0.58	0.56	0.53

	575 Casement with Triple Glazing		
	Aluminum	Stainless Steel	Non-Metal
U-cog	Spacer	Spacer	Spacer
0.10	0.27	0.24	0.19
0.12	0.28	0.25	0.21
0.14	0.30	0.27	0.23
0.16	0.31	0.28	0.24
0.18	0.33	0.30	0.26
0.20	0.34	0.31	0.27
0.22	0.36	0.33	0.29
0.24	0.37	0.34	0.30
0.26	0.39	0.36	0.32
0.28	0.40	0.37	0.34
0.30	0.41	0.38	0.35

575 Casement (Dbl and Tpl Glazed)		
SHGC-cog	SHGC-Product	
0.05	0.07	
0.10	0.10	
0.15	0.14	
0.20	0.17	
0.25	0.21	
0.30	0.24	
0.35	0.28	
0.40	0.31	
0.45	0.35	
0.50	0.38	
0.55	0.42	
0.60	0.45	
0.65	0.49	
0.70	0.52	
0.75	0.56	

